


### SAGA 11 C.36-65

Caliber/Calibre: 36                      Stock Number:  
 head/culote: 8                              Case Height (mm) 63  
 Head stamp: neutro  
 Tube Color RED  
 Powder: Smokeless simple Base Powder  
 Closure paper disc  
 Slug/Buck -  
 Inner box mm: 61,5x63x61,5  
 Dim EXT mm: 329x134x73  
 Wad: plastic  
 Shot: Hard  
 shot weight (g) 11  
 Color ink black  
 height (mm): 61  
 Max Pressure (bar) <830              Pk2: <950



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U811.200.0152	C36.65-395 m/s 11g #11	8435101625463	18435101625460
U811.200.0172	C36.65-395 m/s 11g #10	8435101625487	18435101625484
U811.200.0202	C36.65-395 m/s 11g #9	8435101625494	18435101625491
U811.200.0222	C36.65-395 m/s 11g #8	8435101625500	18435101625507
U811.200.0232	C36.65-395 m/s 11g #7.5	8435101625524	18435101625521
U811.200.0252	C36.65-395 m/s 11g #7	8435101625548	18435101625545
U811.200.0272	C36.65-395 m/s 11g #6	8435101625562	18435101625569
U811.200.0302	C36.65-395 m/s 11g #5	8435101625586	18435101625583
U811.200.0322	C36.65-395 m/s 11g #4	8435101625609	18435101625606
U811.200.0352	C36.65-395 m/s 11g #3	8435101625623	18435101625620



Tube stamp

All the dimensions are in mm and conformed to CIP.  
 Pressure obtained with piezoelectric sensor Kistler 6203.  
 Ballistic at 21°C- 60% humidity.

Proof barrel 36-70-700 without choke.  
 Pressure taken at 29 mm



*All the dimensions are in mm and conformed to CIP.  
Pressure obtained with piezoelectric sensor Kistler 6203.  
Ballistic at 21°C- 60% humidity.*


*Proof barrel 36-70-700 without choke.  
Pressure taken at 29 mm*

### SAGA 14 C.36-65

Caliber/Calibre: 36                      Stock Number:  
 head/culote: 8                              Case Height (mm) 65  
 Head stamp: neutro  
 Tube Color RED  
 Powder: Smokeless simple Base Powder  
 Closure 6 point crimp  
 Slug/Buck -  
 Inner box mm: 61,5x63x61,5  
 Dim EXT mm: 329x134x73  
 Wad: plastic  
 Shot: Hard  
 shot weight (g) 14  
 Color ink black  
 height (mm): 61  
 Max Pressure (bar) <830              Pk2: <950



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U814.200.0200	C36.65-365 m/s 14g #9	8435101628846	18435101628843
U814.200.0250	C36.65-365 m/s 14g #7	8435101628860	18435101628867
U814.200.0270	C36.65-365 m/s 14g #6	8435101628884	18435101628881
U814.200.0300	C36.65-365 m/s 14g #5	8435101628907	18435101628904



Tube stamp

*All the dimensions are in mm and conformed to CIP.  
 Pressure obtained with piezoelectric sensor Kistler 6203.  
 Ballistic at 21°C- 60% humidity.*

*Proof barrel 36-70-700 without choke.  
 Pressure taken at 29 mm*