


EUROTRAP 21

Caliber/Calibre: 12 Stock Number:
 head/culote: 12 Case Height (mm) 70
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: plastic
 Shot: Hard
 shot weight (g) 21
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U221.400.0200	EUROTRAP 21 C12.70-420 m/s 21g #9	8435101611886	18435101611883
U221.400.0230	EUROTRAP 21 C12.70-420 m/s 21g #7.5	8435101611985	18435101611982




Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*

EUROTRAP 24 FW

Caliber/Calibre: 12 Stock Number:
 head/culote: 12 Case Height (mm) 67
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: fibre
 Shot: Hard
 shot weight (g) 24
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <650 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U224.330.0225	EUROTRAP 24 FW C12.67-410 m/s 24g #8	8435101628808	18435101628805
U224.330.0235	EUROTRAP 24 FW C12.67-410 m/s 24g #7.5	8435101628822	18435101628829



Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*


*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*

EUROTRAP 24

Caliber/Calibre:	12	Stock Number:	
head/culote:	12	Case Height (mm)	70
Head stamp:	****		
Tube Color	White		
Powder:	Smokeless simple Base Powder		
Closure	6 point crimp		
Slug/Buck	-		
Inner box mm:	104,5x61,5x104,5		
Dim EXT mm:	320x220x114		
Wad:	Plastic		
Shot:	Hard		
shot weight (g)	24		
Color ink	orange		
height (mm):	58		
Max Pressure (bar)	<740	Pk2:	<850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U224.400.0220	EUROTRAP 24 C12.70-410 m/s 24g #8	8435101612067	18435101612064
U224.400.0230	EUROTRAP 24 C12.70-410 m/s 24g #7.5	8435101616751	18435101616758




Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*

EUROTRAP 28

Caliber/Calibre: 12 Stock Number:
 head/culote: 12 Case Height (mm) 70
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: Plastic
 Shot: Hard
 shot weight (g) 28
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U228.400.0200	EUROTRAP 28 C12.70-400 m/s 28g #9	8435101622523	18435101622520
U228.400.0220	EUROTRAP 28 C12.70-400 m/s 28g #8	8435101622530	18435101622537
U228.400.0230	EUROTRAP 28 C12.70-400 m/s 28g #7.5	8435101622547	18435101622544
U228.400.0260	EUROTRAP 28 C12.70-400 m/s 28g #6.5	8435101622561	18435101622568




Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*

EUROTRAP 28 FW

Caliber/Calibre: 12 Stock Number:
 head/culote: 12 Case Height (mm) 70
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: fibre
 Shot: Hard
 shot weight (g) 28
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <650 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U228.430.1225	EUROTRAP 28 FW C12.70-400 m/s 28g #8	8435101627207	18435101627204
U228.430.1235	EUROTRAP 28 FW C12.70-400 m/s 28g #7.5	8435101627221	18435101627228



Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*