

EXPORT 28

Caliber/Calibre: 12 Stock Number:
 head/culote: 12 Case Height (mm) 70
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: Plastic
 Shot: Hard
 shot weight (g) 28
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U228.400.1150	EXPORT 28 C12.70-415 m/s 28g #11	8435101622585	18435101622582
U228.400.1170	EXPORT 28 C12.70-415 m/s 28g #10	8435101622608	18435101622605
U228.400.1200	EXPORT 28 C12.70-415 m/s 28g #9	8435101622622	18435101622629
U228.400.1220	EXPORT 28 C12.70-415 m/s 28g #8	8435101622646	18435101622643
U228.400.1230	EXPORT 28 C12.70-415 m/s 28g #7.5	8435101622660	18435101622667
U228.400.1250	EXPORT 28 C12.70-415 m/s 28g #7	8435101622684	18435101622681
U228.400.1270	EXPORT 28 C12.70-415 m/s 28g #6	8435101622691	18435101622698
U228.400.1300	EXPORT 28 C12.70-415 m/s 28g #5	8435101622714	18435101622711
U228.400.1320	EXPORT 28 C12.70-415 m/s 28g #4	8435101622738	18435101622735
U228.400.1350	EXPORT 28 C12.70-415 m/s 28g #3	8435101622752	18435101622759
U228.400.1401	EXPORT 28 C12.70-415 m/s 28g #1	8435101622776	18435101622773



All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.

Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm



*All the dimensions are in mm and conformed to CIP.
Pressure obtained with piezoelectric sensor Kistler 6203.
Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
Pressure taken at 29 mm*

EXPORT 28 FW

Caliber/Calibre: 12 Stock Number:
 head/culote: 12 Case Height (mm) 70
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: fibre
 Shot: Hard
 shot weight (g) 28
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <650 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U228.430.2175	EXPORT 28 FW C12.70-400 m/s 28g #10	8435101629423	18435101629420
U228.430.2205	EXPORT 28 FW C12.70-400 m/s 28g #9	8435101629447	18435101629444
U228.430.2255	EXPORT 28 FW C12.70-400 m/s 28g #7	8435101627245	18435101627242
U228.430.2275	EXPORT 28 FW C12.70-400 m/s 28g #6	8435101627269	18435101627266



Tube stamp

All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.


Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm

EXPORT 30

Caliber/Calibre: 12 Stock Number:
 head/culote: 10 Case Height (mm) 70
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: Plastic
 Shot: Hard
 shot weight (g) 30
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U230.400.0150	EXPORT 30 C12.70-415 m/s 30g #11	8435101623230	18435101623237
U230.400.0170	EXPORT 30 C12.70-415 m/s 30g #10	8435101623254	18435101623251
U230.400.0200	EXPORT 30 C12.70-415 m/s 30g #9	8435101623278	18435101623275
U230.400.0220	EXPORT 30 C12.70-415 m/s 30g #8	8435101623292	18435101623299
U230.400.0230	EXPORT 30 C12.70-415 m/s 30g #7.5	8435101623315	18435101623312
U230.400.0250	EXPORT 30 C12.70-415 m/s 30g #7	8435101623339	18435101623336
U230.400.0270	EXPORT 30 C12.70-415 m/s 30g #6	8435101623353	18435101623350
U230.400.0300	EXPORT 30 C12.70-415 m/s 30g #5	8435101623377	18435101623374
U230.400.0320	EXPORT 30 C12.70-415 m/s 30g #4	8435101623391	18435101623398
U230.400.0350	EXPORT 30 C12.70-415 m/s 30g #3	8435101623414	18435101623411



Tube stamp

All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.

Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm

EXPORT 30 FW

Caliber/Calibre: 12 Stock Number:
 head/culote: 10 Case Height (mm) 70
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: fibre
 Shot: Hard
 shot weight (g) 30
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <650 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U230.430.0275	EXPORT 30 FW C12.70-405m/s 30g #6	8435101627368	18435101627365
U230.430.0305	EXPORT 30 FW C12.70-405m/s 30g #5	8435101627382	18435101627389



Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*


*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*

EXPORT 32

Caliber/Calibre: 12 Stock Number:
 head/culote: 12 Case Height (mm) 70
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: Plastic
 Shot: Hard
 shot weight (g) 32
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U232.400.0150	EXPORT 32 C12.70-415 m/s 32g #11	8435101623421	18435101623428
U232.400.0170	EXPORT 32 C12.70-415 m/s 32g #10	8435101623438	18435101623435
U232.400.0200	EXPORT 32 C12.70-415 m/s 32g #9	8435101623445	18435101623442
U232.400.0220	EXPORT 32 C12.70-415 m/s 32g #8	8435101623452	18435101623459
U232.400.0230	EXPORT 32 C12.70-415 m/s 32g #7.5	8435101623469	18435101623466
U232.400.0250	EXPORT 32 C12.70-415 m/s 32g #7	8435101623476	18435101623473
U232.400.0270	EXPORT 32 C12.70-415 m/s 32g #6	8435101623483	18435101623480
U232.400.0300	EXPORT 32 C12.70-415 m/s 32g #5	8435101623490	18435101623497
U232.400.0320	EXPORT 32 C12.70-415 m/s 32g #4	8435101623506	18435101623503
U232.400.0350	EXPORT 32 C12.70-415 m/s 32g #3	8435101623513	18435101623510
U232.400.0371	EXPORT 32 C12.70-415 m/s 32g #2	8435101623520	18435101623527





*All the dimensions are in mm and conformed to CIP.
Pressure obtained with piezoelectric sensor Kistler 6203.
Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
Pressure taken at 29 mm*

EXPORT 32 FW

Caliber/Calibre: 12 Stock Number:
 head/culote: 12 Case Height (mm) 70
 Head stamp: ****
 Tube Color White
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: fibre
 Shot: Hard
 shot weight (g) 32
 Color ink orange
 height (mm): 58
 Max Pressure (bar) <650 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U232.430.0175	EXPORT 32 FW C12.70-400 m/s 32g #10	8435101628440	18435101628447
U232.430.0275	EXPORT 32 FW C12.70-400 m/s 32g #6	8435101628464	18435101628461
U232.430.0305	EXPORT 32 FW C12.70-400 m/s 32g #5	8435101628488	18435101628485
U232.430.0325	EXPORT 32 FW C12.70-400 m/s 32g #4	8435101628501	18435101628508



Tube stamp

All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.

Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm