

EXPORT DISPERSANTE 28

Caliber/Calibre: 12 Stock Number:
 head/culote: 12 Case Height (mm) 67
 Head stamp: ****
 Tube Color RED
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: scatterer plastic
 Shot: Hard
 shot weight (g) 28
 Color ink black
 height (mm): 56
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U228.340.0158	EXPORT DISPERSANTE 28 C12.67-410 m/s 28g #11	8435101622455	18435101622452
U228.340.0178	EXPORT DISPERSANTE 28 C12.67-410 m/s 28g #10	8435101622479	18435101622476
U228.340.0208	EXPORT DISPERSANTE 28 C12.67-410 m/s 28g #9	8435101622493	18435101622490
U228.340.0228	EXPORT DISPERSANTE 28 C12.67-410 m/s 28g #8	8435101622516	18435101622513



Tube stamp

All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.

Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm

DISPERSANTE 34

Caliber/Calibre: 12 Stock Number:
 head/culote: 16 Case Height (mm) 70
 Head stamp: ****
 Tube Color RED
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: scatterer plastic
 Shot: Hard
 shot weight (g) 34
 Color ink black
 height (mm): 58
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U234.440.0178	DISPERSANTE 34 C12.70-400 m/s 34g #10	8435101624374	18435101624371
U234.440.0208	DISPERSANTE 34 C12.70-400 m/s 34g #9	8435101624398	18435101624395
U234.440.0228	DISPERSANTE 34 C12.70-400 m/s 34g #8	8435101624411	18435101624418
U234.440.0258	DISPERSANTE 34 C12.70-400 m/s 34g #7	8435101624435	18435101624432
U234.440.0278	DISPERSANTE 34 C12.70-400 m/s 34g #6	8435101624459	18435101624456
U234.440.0308	DISPERSANTE 34 C12.70-400 m/s 34g #5	8435101624473	18435101624470
U234.440.0328	DISPERSANTE 34 C12.70-400 m/s 34g #4	8435101624497	18435101624494
U234.440.0358	DISPERSANTE 34 C12.70-400 m/s 34g #3	8435101624510	18435101624517



Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*



*All the dimensions are in mm and conformed to CIP.
Pressure obtained with piezoelectric sensor Kistler 6203.
Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
Pressure taken at 29 mm*

DISPERSANTE 36

Caliber/Calibre: 12 Stock Number:
 head/culote: 16 Case Height (mm) 70
 Head stamp: ****
 Tube Color RED
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: scatterer plastic
 Shot: Hard
 shot weight (g) 36
 Color ink black
 height (mm): 58
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U236.440.0178	DISPERSANTE 36 C12.70-395 m/s 36g #10	8435101624930	18435101624937
U236.440.0208	DISPERSANTE 36 C12.70-395 m/s 36g #9	8435101624954	18435101624951
U236.440.0228	DISPERSANTE 36 C12.70-395 m/s 36g #8	8435101624978	18435101624975
U236.440.0258	DISPERSANTE 36 C12.70-395 m/s 36g #7	8435101624992	18435101624999
U236.440.0278	DISPERSANTE 36 C12.70-395 m/s 36g #6	8435101625012	18435101625019
U236.440.0308	DISPERSANTE 36 C12.70-395 m/s 36g #5	8435101625036	18435101625033



Tube stamp

All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.

Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm