


FIELD 32 STEEL

Caliber/Calibre: 12 Stock Number:
 head/culote: 25 Case Height (mm) 70
 Head stamp: ****
 Tube Color BLACK
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: steel plastic wad
 Shot: Steel
 shot weight (g) 32
 Color ink gold
 height (mm): 58
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U232.450.0303	FIELD 32 STEEL C12.70-415 m/s 32g #5	8435101625982	18435101625989
U232.450.0323	FIELD 32 STEEL C12.70-415 m/s 32g #4	8435101626002	18435101626009



Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*


*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*

FIELD 34 STEEL

Caliber/Calibre: 12 Stock Number:
 head/culote: 25 Case Height (mm) 70
 Head stamp: ****
 Tube Color BLACK
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: steel plastic wad
 Shot: Steel
 shot weight (g) 34
 Color ink gold
 height (mm): 58
 Max Pressure (bar) <740 Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U234.450.0303	FIELD 34 STEEL C12.70-405 m/s 34g #5	8435101628525	18435101628522
U234.450.0323	FIELD 34 STEEL C12.70-405 m/s 34g #4	8435101628549	18435101628546



Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*

FIELD 36 STEEL

Caliber/Calibre: 12 Stock Number:
 head/culote: 25 Case Height (mm) 70
 Head stamp: ****
 Tube Color BLACK
 Powder: Smokeless simple Base Powder
 Closure 6 point crimp
 Slug/Buck -
 Inner box mm: 104,5x61,5x104,5
 Dim EXT mm: 320x220x114
 Wad: steel plastic wad
 Shot: Steel
 shot weight (g) 36
 Color ink gold
 height (mm): 58
 Max Pressure (bar) <850 Pk2: <1000



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U236.450.1303	FIELD 36 STEEL C12.70-400 m/s 36g #5	8435101628129	18435101628126
U236.450.1323	FIELD 36 STEEL C12.70-400 m/s 36g #4	8435101628143	18435101628140
U236.450.1353	FIELD 36 STEEL C12.70-400 m/s 36g #3	8435101628167	18435101628164



Tube stamp

*All the dimensions are in mm and conformed to CIP.
 Pressure obtained with piezoelectric sensor Kistler 6203.
 Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.
 Pressure taken at 29 mm*