


### MAGNUM 44

Caliber/Calibre: 12                      Stock Number:  
 head/culote: 25                          Case Height (mm) 70  
 Head stamp: \*\*\*\*  
 Tube Color                                  BLACK  
 Powder:                                      Smokeless simple Base Powder  
 Closure                                        6 point crimp  
 Slug/Buck                                    -  
 Inner box mm: 104,5x61x43  
 Dim EXT mm: 334x229x114  
 Wad:    Plastic  
 Shot:    Hard  
 shot weight (g) 44  
 Color ink                                      gold  
 height (mm): 58  
 Max Pressure (bar) <740              Pk2: <850



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U244.400.0270	MAGNUM 44 C12.70-360 m/s 44g #6	8435101627641	18435101627648
U244.400.0300	MAGNUM 44 C12.70-360 m/s 44g #5	8435101627665	18435101627662
U244.400.0320	MAGNUM 44 C12.70-360 m/s 44g #4	8435101627689	18435101627686
U244.400.0350	MAGNUM 44 C12.70-360 m/s 44g #3	8435101627702	18435101627709
U244.400.0371	MAGNUM 44 C12.70-360 m/s 44g #2	8435101627726	18435101627723
U244.400.0401	MAGNUM 44 C12.70-360 m/s 44g #1	8435101627740	18435101627747
U244.400.0451	MAGNUM 44 C12.70-360 m/s 44g #00	8435101630405	18435101630402



Tube stamp

All the dimensions are in mm and conformed to CIP.  
 Pressure obtained with piezoelectric sensor Kistler 6203.  
 Ballistic at 21°C- 60% humidity.


Proof barrel 12-70-700 without choke.  
 Pressure taken at 29 mm

### MAGNUM 50

Caliber/Calibre: 12                      Stock Number:  
 head/culote: 25                      Case Height (mm) 76  
 Head stamp: \*\*\*\*  
 Tube Color                      BLACK  
 Powder:                      Smokeless simple Base Powder  
 Closure                      6 point crimp  
 Slug/Buck                      -  
 Inner box mm: 104,5x67x105,5  
 Dim EXT mm: 349x219x114  
 Wad:                      Plastic  
 Shot:                      Hard  
 shot weight (g) 50  
 Color ink                      gold  
 height (mm): 64  
 Max Pressure (bar) <850                      Pk2: <1000



Item Code	Item Description	Inner box Ean13	Outer box Gtin14
U250.600.0256	MAGNUM 50 C12.76-360 m/s 50g #7	8435101627764	18435101627761
U250.600.0276	MAGNUM 50 C12.76-360 m/s 50g #6	8435101627788	18435101627785
U250.600.0306	MAGNUM 50 C12.76-360 m/s 50g #5	8435101627801	18435101627808
U250.600.0326	MAGNUM 50 C12.76-360 m/s 50g #4	8435101627825	18435101627822
U250.600.0356	MAGNUM 50 C12.76-360 m/s 50g #3	8435101627849	18435101627846
U250.600.0376	MAGNUM 50 C12.76-360 m/s 50g #2	8435101627863	18435101627860
U250.600.0406	MAGNUM 50 C12.76-360 m/s 50g #1	8435101627887	18435101627884
U250.600.0456	MAGNUM 50 C12.76-360 m/s 50g #00	8435101627900	18435101627907



Tube stamp

*All the dimensions are in mm and conformed to CIP.  
 Pressure obtained with piezoelectric sensor Kistler 6203.  
 Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.  
 Pressure taken at 29 mm*



*All the dimensions are in mm and conformed to CIP.  
Pressure obtained with piezoelectric sensor Kistler 6203.  
Ballistic at 21°C- 60% humidity.*

*Proof barrel 12-70-700 without choke.  
Pressure taken at 29 mm*